



L Number	Hits	Search Text	•	DB	Time stamp
-	3005	rout\$3 and (flag\$4 field bit) and (buffer\$4 register\$4) and	and packet	USPAT; EPO; JPO;	2002/10/04 12:31
			£ V -	DERWENT; IBM TDB	
-	122	rout\$3 and (flag\$4 field bit)	and packet	USPAT; EPO; JPO;	2002/10/04 15:05
		and (buffer\$4 register\$4) and (process\$4 adj6 engin\$4) and	poll\$4 and automatic\$6	DERWENT;	15:05
_	48	rout\$3 and (flag\$4 field bit)	and packet	IBM_TDB USPAT;	2002/10/08
		<pre>and (buffer\$4 register\$4) and (process\$4 adj6 engin\$4) and same transfer\$6)</pre>	poll\$4 and	EPO; JPO; DERWENT; IBM TDB	13:28
-	25	(((auto automatic\$7) near10 (same status same data) and rou		USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/07 09:21
_	2585	((sav\$4 stor\$4 collect\$6) near	r10	USPAT;	2002/10/07
		<pre>(information data)) and automa (((auto automatic\$7) near10 (same (information data)) and router) not ((((auto automatic</pre>	transfer\$6) (network\$4 c\$7) near10	EPO; JPO; DERWENT; IBM_TDB	09:28
		transfer\$6) same status same (router)	data) and		
-	933	(((sav\$4 stor\$4 collect\$6) nea (information data)) same (((av		USPAT; EPO; JPO;	2002/10/07
		automatic\$7) near10 transfers (information data))) and (networker) and automatic\$7 not (automatic\$7) near10 transfers	\$6) same work\$4 (((auto	DERWENT; IBM_TDB	
		status same data) and router)			0000/10/07
-	13	<pre>((collect\$6 near10 (information same (automatic\$7 near10 transinear10 (network\$4 router)) and automatic\$7 not (((auto automear10 transfer\$6) same status</pre>	sfer\$6) d matic\$7)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07
	_	and router)			2002/10/07
-	7	((collect\$6 near10 (information same (automatic\$7 near10 transpersed (network\$4 router)) and automatic\$7 and status not ((sfer\$6) nd ((auto	USPAT; EPO; JPO; DERWENT; IBM_TDB	10:28
		automatic\$7) near10 transfer: status same data) and router)	\$6) same		
-	607		37) near5 data))) and	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 13:05
		((((auto automatic\$7) near10 same status same data) and row			
-	9		ar10 uto	USPAT; EPO; JPO; DERWENT;	2002/10/07 11:16
		<pre>(information data))) and (netv router) and automatic\$7 and (near4 processor) same bus) not</pre>	work\$4 (parallel t ((((auto	IBM_TDB	
		automatic\$7) near10 transfers status same data) and router)	66) same		
-	2284	(bus same interfac\$4 same prod (processor near3 parallel)	cess\$4) and	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/07 14:10
-	124	((bus same interfac\$4 same pro (processor near3 parallel)) ar stor\$4 collect\$5) near6 (info	nd (((sav\$4 rmation	USPAT; EPO; JPO; DERWENT;	2002/10/07 13:11
		data)) same ((transmi\$6 trans and (devic\$4 near3 (network\$4 and ((transmi\$6 transfer\$6) n	sfer\$6))) router))	IBM_TDB	
		packet)			





		 	*	
-	2	((bus same interfac\$4 same process\$4) and (processor near3 parallel)) and (((sav\$4 stor\$4 collect\$5) near6 (information	USPAT; EPO; JPO; DERWENT;	2002/10/07 13:15
		data)) same ((transmi\$6 transfer\$6))) and (devic\$4 near3 (network\$4 router)) and ((transmi\$6 transfer\$6) near10 packet) and (tim\$4 near5 stamp\$4)	IBM_TDB	
-	27	<pre>(((bus same interfac\$4 same process\$4) and (processor near3 parallel)) and (((sav\$4 stor\$4 collect\$5) near6 (information data)) same (transmi\$6 transfer\$6) same status) and (devic\$4 near3 (network\$4 router)) and ((transmi\$6 transfer\$6) near10 packet) and</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 13:35
-	4	and (processor near3 parallel)) and (((sav\$4 stor\$4 collect\$5) near6 (information data)) same (transmi\$6 transfer\$6) same status) and (devic\$4 near3 (network\$4 router)) and ((USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 14:12
	60	transmi\$6 transfer\$6) near10 packet) and (tim\$4 near10 (packet data))) and (receiv\$4 near5 (data packet)) and ((ready readiness) near10 (data packet)) ((bus same interfac\$4 same process\$4) and (process\$4 near3 parallel)) and (((sav\$4 stor\$4 collect\$5) near6 (information data)) same (transmi\$6 transfer\$6) same status) and (devic\$4 near3 (network\$4 router)) and ((transmi\$6 transfer\$6) near10 packet) and (tim\$4 near10 (packet)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 14:12
_	13	data)) (((bus same interfac\$4 same process\$4) and (process\$4 near3 parallel)) and (((sav\$4 stor\$4 collect\$5) near6 (information data)) same (transmi\$6 transfer\$6) same status) and (devic\$4 near3 (network\$4 router)) and ((transmi\$6 transfer\$6) near10 packet) and (tim\$4 near10 (packet data))) and (receiv\$4 near5 (data packet)) and	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 16:00
-	80	((ready readiness) near10 (data packet)) (rout\$3 and (status near5 (data packet)) and (buffer\$4 register\$4) and poll\$4 and ((transmi\$7 transfer\$4) near6 (data packet)) and (receiv\$4 near6 (data packet)) and (flag\$4 field bit) and (bus\$4 near5 interfac\$4)) and ((port near10 (availab\$7)) near10 (transfer\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/08 15:07
-	11	transmi\$6 receiv\$4)) ((rout\$3 and (status near5 (data packet)) and (buffer\$4 register\$4) and poll\$4 and ((transmi\$7 transfer\$4) near6 (data packet)) and (receiv\$4 near6 (data packet)) and (flag\$4 field bit) and (bus\$4 near5 interfac\$4)) and ((port near10 (availab\$7)) near10 (transfer\$4 transmi\$6 receiv\$4))) and ((register\$4 near5 (transfer\$4 transmi\$6 receiv\$4)) near10 interfac\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/08 15:15

Page 2





	·			1 2 2 2 2 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2
	7	<pre>((rout\$3 and (status near5 (data packet)) and (buffer\$4 register\$4) and poll\$4 and ((transmi\$7 transfer\$4) near6 (data packet)) and (receiv\$4 near6 (data packet)) and (flag\$4 field bit) and (bus\$4 near5 interfac\$4)) and ((port near10 (availab\$7)) near10 (transfer\$4</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/08 15:17
		transmi\$6 receiv\$4))) and ((register\$4 near5 (transfer\$4 transmi\$6 receiv\$4)) near10 interfac\$4) and protect\$6		
	88	rout\$3 and (flag\$4 field bit) and packet and (buffer\$4 register\$4) and poll\$4 and (process\$4 adj6 engin\$4) and (interfac\$4 near10 connect\$6) and (transfer\$5 same stat\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/09 10:07
_	164	rout\$3 and (flag\$4 field bit) and packet and (buffer\$4 register\$4) and poll\$4 and (process\$4 adj6 engin\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 08:58
_	13	<pre>(rout\$3 and (flag\$4 field bit) and packet and (buffer\$4 register\$4) and poll\$4 and (process\$4 adj6 engin\$4)) and (stat\$4 near7 register\$4) and (automatic\$6 same transfer\$6) and (collect\$6 near10 data)</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/09 17:09
	3	(rout\$3 and (flag\$4 field bit) and packet and (buffer\$4 register\$4) and poll\$4 and (process\$4 adj6 engin\$4)) and router and interfac\$4 and (stat\$4 near7 register\$4) and (automatic\$6 same transfer\$6) and (collect\$6 near10 data) and (parallel adj5 process\$4) and (receiv\$4 near10 (data packet)) and (tim\$4 near10 stamp\$4) and (stale\$4 inactiv\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/09 17:10
	23	<pre>(rout\$3 and (flag\$4 field bit) and packet and (buffer\$4 register\$4) and poll\$4 and (process\$4 adj6 engin\$4)) and (bus same interfac\$4 same process\$4) and (processor near3 parallel)</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/09 17:10
-	156	<pre>(rout\$3 and (flag\$4 field bit) and packet and (buffer\$4 register\$4) and poll\$4 and (process\$4 adj6 engin\$4)) and (((collect\$4 sav\$4 stor\$4) near10 (data status packet) ready readiness acknoledg\$5) and ((transmi\$6 transfer\$4) near10 (packet\$4 data)) (unsolicit\$4 solicit\$4))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/09 17:11
-	84	(rout\$3 and (flag\$4 field bit) and packet and (buffer\$4 register\$4) and poll\$4 and (process\$4 adj6 engin\$4)) and ((buffer register memor\$4) same (spac\$4 room allocat\$5) same receiv\$4) and ((flag\$4 bit field) same (packet data information) same receiv\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/09 17:20
-	9	<pre>(rout\$3 and (flag\$4 field bit) and packet and (buffer\$4 register\$4) and poll\$4 and (process\$4 adj6 engin\$4)) and ((poll\$4 near5 (devic\$4 router switch\$4)) and (second near4 bus))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/09 17:20
-	85	(rout\$3 and (flag\$4 field bit) and packet and (buffer\$4 register\$4) and poll\$4 and (process\$4 adj6 engin\$4)) and ((buffer register memor\$4) same allocat\$5) and ((flag\$4 bit field) same (packet data information) same receiv\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/09 17:20
-	380	<pre>((flag\$4 feild) near3 receiv\$4 same (free open space allocat\$6))</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/10 08:49





-	50	((flag\$4 feild) near3 (free open space	USPAT;	2002/10/10
Ì		allocat\$6) near4 (sav\$4 buffer memor\$4	EPO; JPO;	08:54
		stor\$) same receiv\$4)	DERWENT;	
			IBM TDB	
_	160	rout\$3 and (flag\$4 field bit) and packet	USPAT;	2002/10/10
		and (buffer\$4 register\$4) and poll\$4 and	EPO; JPO;	09:03
		(process\$4 adj6 engin\$4) and port\$4	DERWENT;	
			IBM TDB	
-	61	rout\$3 and (flag\$4 field bit) and packet	USPAT;	2002/10/10
		and (buffer\$4 register\$4) and poll\$4 and	EPO; JPO;	09:08
		(process\$4 adj6 engin\$4) and (port\$4	DERWENT;	
		near10 availab\$7)	IBM TDB	
_	35	rout\$3 and (flag\$4 field bit) and packet	USPAT;	2002/10/10
		and (buffer\$4 register\$4) and poll\$4 and	EPO; JPO;	09:23
		(process\$4 adj6 engin\$4) and (port near10	DERWENT;	
		availab\$7)	IBM TDB	
_	6	rout\$3 and (flag\$4 field bit) and packet	USPAT;	2002/10/10
1		and (buffer\$4 register\$4) and (process\$4	EPO; JPO;	09:40
		adj6 engin\$4) and ((port same availab\$7)	DERWENT;	
	•	same poll\$4) and (second near10 bus)	IBM TDB	
_	52		USPAT;	2002/10/10
		and (buffer\$4 register\$4) and ((port same	EPO; JPO;	09:49
		availab\$7) same poll\$4) and (second	DERWENT;	
		near10 bus) not (((flag\$4 field bit) same	IBM TDB	
		port) and packet and (buffer\$4	_	
		register\$4) and (process\$4 adj6 engin\$4)		
	}	and ((port same availab\$7) same poll\$4)		
	İ	and (second near10 bus))		
l _	13	((flag\$4 field bit) near6 port) and	USPAT;	2002/10/10
		packet and ((buffer\$4 register\$4) near10	EPO; JPO;	14:25
		(writ\$5 stor\$4 sav\$4) same receiv\$4) and	DERWENT;	
		((port near7 availab\$7) near10 pol1\$4)	IBM TDB	
		and (second near10 bus) not (((flag\$4	_	
		field bit) same port) and packet and		
		(buffer\$4 register\$4) and (process\$4 adj6		
		engin\$4) and ((port same availab\$7) same		
		poll\$4) and (second near10 bus))		l i
L	ــــــــــــــــــــــــــــــــــــــ	1.*	·	·